

# Aluminium rundbolt / stang

mm	kg/m	Al99,5 AA 1050 A	AlMg3 AA 5754	AlMgSi0,5 AA 6060/63	AlMgSi1 AA 6082	AlMg4,5Mn AA 5083	AlMgSiPb AA 6012	AlCuMgPb AA 2007	AlCuMg1/2 AA 2017/2024	AlZn4,5Mg1 AA 7020	AlZnMgCu1,5 AA 7075
		F8 F	F18 F	F22 T6	F28/32 T6	F28 T6	F28 F	F38 T6	T6	T6	F51 T6
2,0	0,009										
2,5	0,015										
3,0	0,021			•							
4,0	0,037			•							
4,5	0,046			•			•				
5,0	0,058			•	•		•	•			
6,0	0,083		•	•	•	•	•	•			
6,5	0,093			•	•		•	•			
7,0	0,113			•	•		•	•			
8,0	0,148		•	•	•	•	•	•		•	
9,0	0,187			•	•		•	•			
10,0	0,231	•	•	•	•	•	•	•		•	•
11,0	0,279	•		•	•	•	•	•			
12,0	0,333	•	•	•	•	•	•	•	•		•
13,0	0,391			•	•		•	•			
14,0	0,453		•	•	•	•	•	•			
15,0	0,520	•	•	•	•	•	•	•			•
16,0	0,591		•	•	•	•	•	•			
17,0	0,668		•	•	•	•	•	•			
18,0	0,748		•	•	•	•	•	•		•	•
19,0	0,834			•	•		•	•			
20,0	0,924	•	•	•	•	•	•	•	•	•	•
21,0	1,019			•	•		•	•			
22,0	1,117		•	•	•	•	•	•			•
23,0	1,224			•	•		•	•			
24,0	1,330			•	•		•	•			
25,0	1,443	•	•	•	•	•	•	•	•	•	•
26,0	1,561		•	•	•	•	•	•	•	•	•
27,0	1,683			•	•		•	•			
28,0	1,810	•		•	•	•	•	•		•	•
29,0	1,914			•	•		•	•			
30,0	2,078	•	•	•	•	•	•	•	•	•	•
31,0	2,219			•	•		•	•			
32,0	2,365	•	•	•	•	•	•	•	•	•	•
33,0	2,580			•	•		•	•			
34,0	2,669			•	•		•	•			
35,0	2,829	•	•	•	•	•	•	•	•	•	•
36,0	2,993			•	•		•	•			
37,0	3,020			•	•		•	•			
38,0	3,334			•	•		•	•	•	•	•
39,0	3,271			•	•		•	•			
40,0	3,694	•	•	•	•	•	•	•	•	•	•
41,0	3,740			•	•		•	•			
42,0	3,926			•	•		•	•			
43,0	4,269			•	•		•	•			
44,0	4,309			•	•		•	•			
45,0	4,675		•	•	•	•	•	•	•	•	•
46,0	4,746			•	•		•	•			
48,0	5,470			•	•		•	•			
50,0	5,773	•	•	•	•	•	•	•	•	•	•
52,0	6,24			•	•		•	•			
55,0	6,98		•	•	•	•	•	•	•	•	•
56,0	7,24			•	•		•	•			
58,0	7,24			•	•		•	•			
60,0	8,31	•	•	•	•	•	•	•	•	•	•
62,0	8,71			•	•		•	•			
63,0	9,16			•	•		•	•	•	•	•
65,0	9,77		•	•	•	•	•	•			•
67,0	10,07			•	•		•	•			



# Aluminium rundbolt / stang



mm	kg/m	Al99.5 AA 1050 A	AlMg3 AA 5754	AlMgSi0.5 AA 6060/63	AlMgSi1 AA 6082	AlMg4.5Mn AA 5083	AlMgSiPb AA 6012	AlCuMgPb AA 2007	AlCuMg1/2 AA 2017/2024	AlZn4.5Mg1 AA 7020	AlZnMgCu1.5 AA 7075
		F 8 F	F 18 F	F 22 T 6	F 28/32 T 6	F 28 T 6	F 28 F	F 38 T 6	T 6	T 6	F 51 T 6
70,0	11,31	•	•	•	•	•	•	•	•	•	•
72,0	11,54										
75,0	13,02		•	•	•	•	•	•	•	•	•
80,0	14,78		•	•	•	•	•	•	•	•	•
82,0	14,86										
85,0	16,70	•	•	•	•	•	•	•	•	•	•
90,0	18,70		•	•	•	•	•	•	•	•	•
95,0	20,79		•	•	•	•	•	•	•	•	•
100,0	23,09	•	•	•	•	•	•	•	•	•	•
105,0	25,41										
110,0	27,93		•	•	•	•	•	•	•	•	•
115,0	30,60		•	•	•	•	•	•	•	•	•
120,0	33,29	•	•	•	•	•	•	•	•	•	•
125,0	36,12		•	•	•	•	•	•	•	•	•
130,0	39,06		•	•	•	•	•	•	•	•	•
135,0	42,11		•	•	•	•	•	•	•	•	•
140,0	45,26	•	•	•	•	•	•	•	•	•	•
145,0	46,87										
150,0	51,98		•	•	•	•	•	•	•	•	•
155,0	53,47										
160,0	59,12		•	•	•	•	•	•	•	•	•
165,0	60,59										
170,0	66,78		•	•	•	•	•	•	•	•	•
180,0	77,76		•	•	•	•	•	•	•	•	•
185,0	85,33										
190,0	88,37		•	•	•	•	•	•	•	•	•
200,0	92,40		•	•	•	•	•	•	•	•	•
210,0	101,85		•	•	•	•	•	•	•	•	•
220,0	111,72		•	•	•	•	•	•	•	•	•
230,0	122,12										
240,0	133,04										
250,0	144,27		•	•	•	•	•	•	•	•	•
255,0	149,71						•				
260,0	156,14										
270,0	168,34										
280,0	181,02		•	•	•	•	•	•	•	•	•
290,0	194,10										
300,0	207,08		•	•	•	•	•	•	•	•	•
310,0	221,90		•	•	•	•	•	•	•	•	•
320,0	236,46		•	•	•	•	•	•	•	•	•
330,0	251,00										
340,0	245,00										
350,0	282,00		•	•	•	•	•	•	•	•	•
355,0	290,00						•				
360,0	299,00										
370,0	301,10										
380,0	330,00										
400,0	369,00				•	•	•	•	•	•	•
410,0	362,20								•		
420,0	373,90						•				
430,0	426,00			•	•	•	•	•	•	•	•
450,0	467,00				•	•	•	•	•	•	•
480,0	531,00					•					
500,0	577,00							•			
510,0	591,00						•				

# Aluminium rundbolt / stang

(Mål i inches / tommer = 25,4 mm)

ALUMINIUM ROUND BAR			ALUMINIUM ROUND BAR		
ALLOY	DIA.	Wt.Kg/m	ALLOY	DIA.	Wt.Kg/m
6082T6	1/8"	.022	6082T6	1.7/8"	4.832
6063T6	3/16"	.048	6082T6	2"	5.497
2011T3	6mm	.079	2011-T3	2"	5.717
6063T5	1/4"	.086	6082T6	2.1/8"	6.204
6082TF	1/4"	.086	2011T3	2.1/4"	7.235
2011T3	1/4"	.089	6082T6	2.1/4"	6.957
2011T3	5/16"	.140	6082T6	2.3/8"	7.750
6082T4	5/16"	.134	6082T6	2.1/2"	8.589
6082T6	5/16"	.134	2011-T3	2.1/2"	8.933
6082TF	3/8"	.193	6082T6	2.5/8"	9.468
2011T3	3/8"	.200	6082T6	2.3/4"	10.391
2011T3	7/16"	.263	6082T6	3"	12.366
6082T6	1/2"	.344	2011-T6	3"	12.861
2011-T3	1/2"	.357	6082T6	3.1/4"	14.510
2011T3	9/16"	.452	2011-T6	3.1/2"	17.505
6082T6	5/8"	.537	6082TF	3.1/2"	16.831
2011T3	5/8"	.558	6082T6	3.3/4"	19.321
6082T6	3/4"	.773	6082T6	4"	21.984
2011T3	3/4"	.803	2011-T6	4"	22.863
6082T6	7/8"	1.052	6082T6	4.1/4"	24.818
2011T3	7/8"	1.094	6082T6	4.1/2"	27.823
2011T3	1"	1.429	6082T6	4.3/4"	31.000
6082T6	1"	1.374	6082T6	5"	34.350
2011T3	1.1/6"	1.60	6082T6	5.1/4"	37.871
2011T3	1.1/8"	1.74	6082T6	5.1/2"	41.563
6082T6	1.1/4"	2.147	6082T6	5.3/4"	45.428
2011T3	1.1/4"	2.233	6083T6	6"	49.464
2011T3	1.3/8"	2.702	6082T6	6.1/4"	53.672
6082TF	1.3/8"	2.599	6082T6	6.1/2"	58.052
6082T6	1.1/2"	3.092	6082T6	7"	67.326
2011-T3	1.1/2"	3.216	6082T6	7.1/4"	72.221
6082T6	40mm	3.408	6082T6	7.1/2"	77.287
6082T6	1.5/8"	3.630	6082T6	7.3/4"	82.525
6082T6	1.3/4"	4.208	6082T6	8"	87.936
2011T3	1.3/4"	4.376	6082T6	8.1/4"	93.518

# Aluminium rundbolt / stang

(Mål i inches / tommer = 25,4 mm)

ALUMINIUM ROUND BAR		
ALLOY	DIA.	Wt.Kg/m
6082T6	8.1/2"	99.271
6082T6	9"	111.300
6082T6	9.1/2"	124.000
6082T6	10"	137.400
6082T6	10.1/4"	144.360
6082T6	11"	166.250
6082T6	290mm	184.950

ALUMINIUM ROUND BAR		
ALLOY	DIA.	Wt.Kg/m
6082T6	11.1/2"	181.710
6082T6	12"	197.860
6082T6	13"	232.210
6082T6	14"	269.300
6082T6	15"	309.150
6082T6	16"	351.740