

| Dimensjon mm | | | Legering | | | |
|--------------|---|------|----------|---------|---------|---------|
| B | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 8 | x | 2 | 0,043 | * | | |
| 8 | x | 4 | 0,086 | * | | |
| 8 | x | 5 | 0,108 | * | | |
| 10 | x | 2 | 0,054 | * | | |
| 10 | x | 3 | 0,081 | * | | |
| 10 | x | 4 | 0,108 | * | | |
| 10 | x | 5 | 0,135 | * | | |
| 10 | x | 6 | 0,162 | * | | |
| 10 | x | 8 | 0,216 | * | | |
| 12 | x | 2 | 0,065 | * | | |
| 12 | x | 3 | 0,097 | * | | |
| 12 | x | 4 | 0,130 | * | | |
| 12 | x | 5 | 0,162 | * | | |
| 12 | x | 6 | 0,194 | * | | |
| 12 | x | 8 | 0,259 | * | | |
| 12 | x | 10 | 0,324 | * | | |
| 15 | x | 2 | 0,081 | * | | |
| 15 | x | 3 | 0,122 | * | | |
| 15 | x | 4 | 0,162 | * | | |
| 15 | x | 5 | 0,302 | * | | |
| 15 | x | 6 | 0,243 | * | | |
| 15 | x | 8 | 0,324 | * | | |
| 15 | x | 10 | 0,405 | * | | |
| 15 | x | 12 | 0,486 | * | | |
| 16 | x | 3 | 0,130 | * | | |
| 16 | x | 5 | 0,216 | * | | |
| 18 | x | 3 | 0,146 | * | | |
| 18 | x | 5 | 0,243 | * | | |
| 18 | x | 4 | 0,194 | * | | |
| 18 | x | 8 | 0,389 | * | | |
| 20 | x | 2 | 0,108 | * | | |
| 20 | x | 3 | 0,162 | * | | |
| 20 | x | 4 | 0,216 | * | | |
| 20 | x | 5 | 0,270 | * | | |
| 20 | x | 6 | 0,324 | * | | |
| 20 | x | 8 | 0,423 | * | * | |
| 20 | x | 10 | 0,540 | * | * | * |
| 20 | x | 12 | 0,648 | * | | |
| 20 | x | 15 | 0,810 | * | * | * |
| 25 | x | 2 | 0,135 | * | | |
| 25 | x | 3 | 0,203 | * | | |
| 25 | x | 4 | 0,270 | * | | |
| 25 | x | 5 | 0,338 | * | | |
| 25 | x | 6 | 0,405 | * | | |
| 25 | x | 8 | 0,540 | * | | |

| Dimensjon mm | | | Legering | | | | |
|--------------|---|------|----------|---------|---------|---------|--|
| B | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 | |
| 25 | x | 10 | 0,675 | * | * | * | |
| 25 | x | 12 | 0,810 | * | | | |
| 25 | x | 15 | 1,01 | * | * | * | |
| 25 | x | 20 | 1,35 | * | * | * | |
| 30 | x | 2 | 0,162 | * | | | |
| 30 | x | 3 | 0,243 | * | | | |
| 30 | x | 4 | 0,324 | * | * | | |
| 30 | x | 5 | 0,405 | * | | | |
| 30 | x | 6 | 0,486 | * | | | |
| 30 | x | 8 | 0,648 | * | * | | |
| 30 | x | 10 | 0,810 | * | * | * | |
| 30 | x | 12 | 0,972 | * | * | | |
| 30 | x | 15 | 1,22 | * | * | * | |
| 30 | x | 20 | 1,62 | * | * | * | |
| 30 | x | 25 | 2,03 | * | * | | |
| 35 | x | 2 | 0,189 | * | | | |
| 35 | x | 3 | 0,284 | * | | | |
| 35 | x | 4 | 0,378 | * | | | |
| 35 | x | 5 | 0,473 | * | | | |
| 35 | x | 6 | 0,567 | * | | | |
| 35 | x | 8 | 0,756 | * | | | |
| 35 | x | 10 | 0,945 | * | | | |
| 35 | x | 12 | 1,13 | * | | | |
| 35 | x | 15 | 1,42 | * | | | |
| 35 | x | 20 | 1,89 | * | * | | |
| 35 | x | 25 | 2,36 | * | | | |
| 40 | x | 2 | 0,216 | * | | | |
| 40 | x | 3 | 0,324 | * | | | |
| 40 | x | 4 | 0,432 | * | | | |
| 40 | x | 5 | 0,540 | * | | | |
| 40 | x | 6 | 0,648 | * | | | |
| 40 | x | 8 | 0,864 | * | * | | |
| 40 | x | 10 | 1,08 | * | * | * | |
| 40 | x | 12 | 1,30 | * | * | | |
| 40 | x | 15 | 1,62 | * | * | * | |
| 40 | x | 20 | 2,16 | * | * | * | |
| 40 | x | 25 | 2,70 | * | * | * | |
| 40 | x | 30 | 3,24 | * | * | | |
| 45 | x | 2 | 0,243 | * | | | |
| 45 | x | 3 | 0,365 | * | | | |
| 45 | x | 4 | 0,486 | * | | | |
| 45 | x | 5 | 0,608 | * | | | |
| 45 | x | 6 | 0,729 | * | | | |
| 45 | x | 8 | 0,972 | * | | | |
| 45 | x | 10 | 1,22 | * | | | |

| Dimensjon mm | | | Legering | | | | |
|--------------|---|------|----------|---------|---------|---------|---|
| B | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 | |
| 45 | x | 15 | 1,82 | * | * | | |
| 45 | x | 20 | 2,43 | * | * | | |
| 45 | x | 25 | 3,04 | * | | | |
| 45 | x | 30 | 3,65 | * | * | | |
| 50 | x | 2 | 0,270 | * | | | |
| 50 | x | 3 | 0,405 | * | | | |
| 50 | x | 4 | 0,540 | * | | | |
| 50 | x | 5 | 0,675 | * | * | | |
| 50 | x | 6 | 0,810 | * | * | | |
| 50 | x | 8 | 1,08 | * | * | | |
| 50 | x | 10 | 1,35 | * | * | * | |
| 50 | x | 12 | 1,62 | * | * | | |
| 50 | x | 15 | 2,03 | * | * | * | |
| 50 | x | 20 | 2,70 | * | * | * | |
| 50 | x | 25 | 3,38 | * | * | * | |
| 50 | x | 30 | 4,05 | * | * | * | |
| 50 | x | 35 | 4,73 | * | | | |
| 50 | x | 40 | 5,40 | * | * | * | |
| 50,8 | x | 31,8 | 4,36 | | | | * |
| 55 | x | 3 | 0,446 | * | | | |
| 55 | x | 4 | 0,594 | * | | | |
| 55 | x | 5 | 0,743 | * | | | |
| 55 | x | 6 | 0,891 | * | | | |
| 55 | x | 8 | 1,19 | * | | | |
| 55 | x | 10 | 1,49 | * | | | |
| 55 | x | 15 | 2,23 | * | | | |
| 55 | x | 20 | 2,97 | * | | | |
| 60 | x | 2 | 0,324 | * | | | |
| 60 | x | 3 | 0,486 | * | | | |
| 60 | x | 4 | 0,648 | * | | | |
| 60 | x | 5 | 0,810 | * | | | |
| 60 | x | 6 | 0,972 | * | | | |
| 60 | x | 8 | 1,30 | * | * | | |
| 60 | x | 10 | 1,62 | * | * | * | |
| 60 | x | 12 | 1,94 | * | * | | |
| 60 | x | 15 | 2,43 | * | * | * | |
| 60 | x | 20 | 3,24 | * | * | * | |
| 60 | x | 25 | 4,05 | * | * | * | |
| 60 | x | 30 | 4,86 | * | * | * | |
| 60 | x | 35 | 5,67 | * | | | |
| 60 | x | 40 | 6,48 | * | * | * | |
| 60 | x | 50 | 8,10 | * | * | | |
| 63,5 | x | 25,4 | 4,35 | | * | | |
| 63,5 | x | 31,8 | 5,45 | | | | * |
| 65 | x | 5 | 0,878 | * | | | |

| Dimensjon mm | | | | Legering | | | |
|--------------|---|------|-------|----------|---------|---------|---------|
| B | | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 65 | x | 6 | 1,05 | * | | | |
| 65 | x | 8 | 1,40 | * | | | |
| 65 | x | 10 | 1,76 | * | | | |
| 65 | x | 15 | 2,63 | * | | | |
| 65 | x | 20 | 3,51 | * | | | |
| 70 | x | 2 | 0,378 | * | | | |
| 70 | x | 3 | 0,567 | * | | | |
| 70 | x | 4 | 0,756 | * | | | |
| 70 | x | 5 | 0,945 | * | | | |
| 70 | x | 6 | 1,13 | * | | | |
| 70 | x | 8 | 1,51 | * | | | |
| 70 | x | 10 | 1,89 | * | * | | |
| 70 | x | 12 | 2,27 | * | * | | |
| 70 | x | 15 | 2,84 | * | * | | |
| 70 | x | 20 | 3,78 | * | * | | |
| 70 | x | 25 | 4,73 | * | * | | |
| 70 | x | 30 | 5,67 | * | * | | |
| 70 | x | 35 | 6,62 | * | * | | |
| 70 | x | 40 | 7,56 | * | * | | |
| 70 | x | 45 | 8,51 | * | | | |
| 70 | x | 50 | 9,45 | * | * | * | |
| 70 | x | 60 | 11,3 | | * | | |
| 75 | x | 4 | 0,810 | * | | | |
| 75 | x | 5 | 1,01 | * | | | |
| 75 | x | 6 | 1,22 | * | | | |
| 75 | x | 8 | 1,62 | * | | | |
| 75 | x | 10 | 2,03 | * | | | |
| 75 | x | 15 | 3,04 | * | | | |
| 75 | x | 20 | 4,05 | * | | | |
| 75 | x | 25 | 5,06 | * | | | |
| 76,2 | x | 31,8 | 6,54 | | * | | |
| 76,2 | x | 38,1 | 7,84 | | * | | * |
| 76,2 | x | 50,8 | 10,5 | | * | | * |
| 76,2 | x | 63,5 | 13,1 | | * | | |
| 80 | x | 2 | 0,432 | * | | | |
| 80 | x | 3 | 0,648 | * | | | |
| 80 | x | 4 | 0,864 | * | | | |
| 80 | x | 5 | 1,08 | * | | | |
| 80 | x | 6 | 1,30 | * | | | |
| 80 | x | 8 | 1,73 | * | * | | |
| 80 | x | 10 | 2,16 | * | * | * | |
| 80 | x | 12 | 2,59 | * | * | | |
| 80 | x | 15 | 3,24 | * | * | * | |
| 80 | x | 20 | 4,32 | * | * | * | |
| 80 | x | 25 | 5,40 | * | * | * | |

| Dimensjon mm | | | Legering | | | | |
|--------------|---|------|----------|---------|---------|---------|---|
| B | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 | |
| 80 | x | 30 | 6,48 | * | * | * | |
| 80 | x | 40 | 8,64 | * | * | * | |
| 80 | x | 50 | 10,8 | * | * | * | |
| 80 | x | 55 | 11,9 | | * | | |
| 80 | x | 60 | 13,0 | * | * | | |
| 90 | x | 3 | 0,729 | * | | | |
| 90 | x | 4 | 0,972 | * | | | |
| 90 | x | 5 | 1,22 | * | | | |
| 90 | x | 6 | 1,46 | * | | | |
| 90 | x | 8 | 1,94 | * | | | |
| 90 | x | 10 | 2,43 | * | | * | |
| 90 | x | 15 | 3,65 | * | | | |
| 90 | x | 20 | 4,86 | * | | | |
| 90 | x | 25 | 6,08 | * | | * | |
| 90 | x | 30 | 7,29 | * | * | | |
| 90 | x | 35 | 8,51 | * | * | | |
| 90 | x | 40 | 9,72 | * | | * | |
| 90 | x | 45 | 10,9 | | * | | |
| 90 | x | 50 | 12,2 | | * | * | |
| 90 | x | 60 | 14,6 | | * | * | |
| 90 | x | 70 | 17,0 | | * | * | |
| 100 | x | 2 | 0,540 | * | | | |
| 100 | x | 3 | 0,810 | * | | | |
| 100 | x | 4 | 1,08 | * | | | |
| 100 | x | 5 | 1,35 | * | | | |
| 100 | x | 6 | 1,62 | * | | | |
| 100 | x | 8 | 2,16 | * | * | | |
| 100 | x | 10 | 2,70 | * | * | * | |
| 100 | x | 12 | 3,24 | * | * | * | |
| 100 | x | 15 | 4,05 | * | * | * | |
| 100 | x | 20 | 5,40 | * | * | * | |
| 100 | x | 25 | 6,75 | * | * | * | |
| 100 | x | 30 | 8,10 | * | * | * | |
| 100 | x | 35 | 8,10 | | * | | |
| 100 | x | 40 | 10,8 | * | * | * | |
| 100 | x | 50 | 13,5 | * | * | * | |
| 100 | x | 60 | 16,2 | * | * | | |
| 100 | x | 70 | 18,9 | | * | * | |
| 100 | x | 80 | 21,6 | | * | | |
| 101,6 | x | 25,4 | 6,97 | | | | * |
| 101,6 | x | 38,1 | 10,5 | | | | * |
| 101,6 | x | 50,8 | 13,9 | | * | | * |
| 101,6 | x | 63,5 | 17,4 | | | | * |
| 101,6 | x | 76,2 | 20,9 | | | | * |
| 110 | x | 3 | 0,891 | * | | | |

| Dimensjon mm | | | | Legering | | | |
|--------------|---|------|------|----------|---------|---------|---------|
| B | | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 110 | x | 5 | 1,49 | * | | | |
| 110 | x | 8 | 2,38 | * | | | |
| 110 | x | 10 | 2,97 | * | | | |
| 110 | x | 20 | 5,94 | * | | | |
| 110 | x | 30 | 8,91 | * | | | |
| 110 | x | 35 | 10,4 | * | | | |
| 110 | x | 40 | 11,0 | | * | | |
| 110 | x | 55 | 15,3 | | * | | |
| 110 | x | 70 | 20,8 | | * | | |
| 110 | x | 90 | 26,7 | | * | | |
| 120 | x | 4 | 1,30 | * | | | |
| 120 | x | 5 | 1,62 | * | | | |
| 120 | x | 6 | 1,94 | * | | | |
| 120 | x | 8 | 2,59 | * | * | | |
| 120 | x | 10 | 3,24 | * | * | | |
| 120 | x | 12 | 3,89 | * | * | | |
| 120 | x | 15 | 4,86 | * | * | | |
| 120 | x | 20 | 6,48 | * | * | * | |
| 120 | x | 25 | 8,10 | | * | | |
| 120 | x | 30 | 9,72 | * | * | * | |
| 120 | x | 35 | 11,3 | | * | | |
| 120 | x | 40 | 13,0 | * | * | * | |
| 120 | x | 45 | 14,6 | | * | | |
| 120 | x | 50 | 16,2 | | * | * | |
| 120 | x | 60 | 19,4 | | * | * | |
| 120 | x | 80 | 25,9 | | * | * | |
| 120 | x | 100 | 32,4 | | * | | |
| 120 | x | 120 | 48,6 | | * | | |
| 125 | x | 5 | 1,69 | * | | | |
| 125 | x | 8 | 2,70 | * | | | |
| 125 | x | 10 | 3,38 | * | | | |
| 125 | x | 12 | 4,05 | * | | | |
| 125 | x | 15 | 5,06 | * | | | |
| 125 | x | 20 | 6,75 | * | | | |
| 125 | x | 25 | 8,44 | * | | * | |
| 125 | x | 40 | 13,5 | * | | | |
| 127 | x | 76,2 | 26,1 | | | | * |
| 127 | x | 102 | 34,8 | | | | * |
| 130 | x | 5 | 1,76 | * | | | |
| 130 | x | 8 | 2,81 | * | | | |
| 130 | x | 10 | 3,51 | * | | | |
| 130 | x | 15 | 5,27 | * | | | |
| 130 | x | 20 | 7,02 | * | | | |
| 130 | x | 30 | 10,5 | | * | | |
| 130 | x | 40 | 14,0 | | * | | |

| Dimensjon mm | | | | Legering | | | |
|--------------|---|------|------|----------|---------|---------|---------|
| B | | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 130 | x | 50 | 17,6 | | * | | |
| 130 | x | 55 | 19,3 | | | * | |
| 130 | x | 70 | 24,8 | | * | | |
| 130 | x | 100 | 35,4 | | * | | |
| 135 | x | 90 | 32,8 | | * | | |
| 140 | x | 5 | 1,89 | * | | | |
| 140 | x | 10 | 3,78 | * | | | |
| 140 | x | 15 | 5,67 | * | | | |
| 140 | x | 20 | 7,56 | * | | | |
| 140 | x | 40 | 15,1 | | * | | |
| 145 | x | 110 | 43,1 | | * | | |
| 150 | x | 3 | 1,22 | * | | | |
| 150 | x | 5 | 2,03 | * | | | |
| 150 | x | 6 | 2,43 | * | | | |
| 150 | x | 8 | 3,24 | * | | | |
| 150 | x | 10 | 4,05 | * | * | * | |
| 150 | x | 12 | 4,86 | * | | | |
| 150 | x | 15 | 6,08 | * | | | |
| 150 | x | 20 | 8,10 | * | * | * | |
| 150 | x | 25 | 10,1 | * | | | |
| 150 | x | 30 | 12,2 | * | * | * | |
| 150 | x | 40 | 16,2 | | * | * | |
| 150 | x | 45 | 18,2 | | * | | |
| 150 | x | 50 | 20,3 | | * | * | |
| 150 | x | 60 | 24,3 | | * | * | |
| 150 | x | 80 | 32,4 | | * | * | |
| 150 | x | 100 | 40,5 | | * | | |
| 152,4 | x | 50,8 | 20,9 | | | | * |
| 152,4 | x | 76,2 | 31,4 | | | | * |
| 152,4 | x | 102 | 41,8 | | | | * |
| 160 | x | 5 | 2,16 | * | | | |
| 160 | x | 6 | 2,59 | * | | | |
| 160 | x | 10 | 4,32 | * | | | |
| 160 | x | 15 | 6,48 | * | | | |
| 160 | x | 20 | 8,64 | * | | | |
| 160 | x | 25 | 10,8 | | * | * | |
| 160 | x | 50 | 21,6 | | * | | |
| 160 | x | 60 | 25,9 | | | * | |
| 160 | x | 70 | 30,5 | | * | | |
| 160 | x | 80 | 34,6 | | | * | |
| 160 | x | 120 | 51,8 | | * | * | |
| 160 | x | 130 | 56,2 | | * | | |
| 165 | x | 55 | 24,5 | | * | * | |
| 165 | x | 75 | 33,4 | | * | | |
| 165 | x | 100 | 44,6 | | | * | |

| Dimensjon mm | | | Legering | | | |
|--------------|---|------|----------|---------|---------|---------|
| B | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 170 | x | 90 | 41,3 | * | * | |
| 170 | x | 100 | 45,9 | * | | |
| 170 | x | 140 | 64,3 | * | | |
| 180 | x | 5 | 2,43 | * | | |
| 180 | x | 8 | 3,89 | * | | |
| 180 | x | 10 | 4,86 | * | | |
| 180 | x | 15 | 7,27 | * | | |
| 180 | x | 16 | 7,78 | | * | |
| 180 | x | 20 | 9,72 | * | | |
| 180 | x | 40 | 19,4 | | * | |
| 180 | x | 45 | 21,9 | | * | |
| 180 | x | 65 | 31,6 | | * | |
| 180 | x | 80 | 38,9 | | * | |
| 185 | x | 65 | 32,5 | | * | |
| 185 | x | 120 | 59,9 | | * | |
| 200 | x | 5 | 2,70 | * | | |
| 200 | x | 8 | 4,32 | * | | |
| 200 | x | 10 | 5,40 | * | * | * |
| 200 | x | 15 | 8,10 | * | | * |
| 200 | x | 20 | 10,8 | * | | * |
| 200 | x | 25 | 13,5 | * | * | * |
| 200 | x | 30 | 16,2 | * | | * |
| 200 | x | 40 | 21,6 | | * | |
| 200 | x | 50 | 27,0 | | * | * |
| 200 | x | 60 | 32,4 | | * | |
| 200 | x | 70 | 37,8 | | | * |
| 200 | x | 100 | 54,0 | | * | * |
| 200 | x | 150 | 81,0 | | * | |
| 203 | x | 127 | 70,2 | | * | |
| 205 | x | 50 | 27,7 | | | * |
| 210 | x | 80 | 45,4 | | * | |
| 215 | x | 70 | 40,6 | | * | |
| 215 | x | 75 | 43,5 | | | * |
| 220 | x | 20 | 11,9 | | * | |
| 220 | x | 30 | 17,8 | | * | |
| 220 | x | 110 | 65,3 | | * | * |
| 220 | x | 160 | 95,0 | | | * |
| 230 | x | 60 | 37,3 | | | * |
| 240 | x | 105 | 68,0 | | * | |
| 250 | x | 8 | 4,32 | * | | |
| 250 | x | 10 | 6,75 | * | | * |
| 250 | x | 12 | 8,10 | | | * |
| 250 | x | 20 | 13,5 | * | | |
| 250 | x | 25 | 16,9 | | * | * |
| 250 | x | 40 | 27,0 | | | * |

Aluminiumskinner

Alunor Metall AS
23 00 65 80

| Dimensjon mm | | | | Legering | | | |
|--------------|---|-----|-------|----------|---------|---------|---------|
| B | | H | kg/m | 6060 T6 | 6082 T6 | 6262 T6 | 7075 T6 |
| 250 | x | 50 | 33,8 | | * | | |
| 250 | x | 120 | 81,0 | | * | | |
| 255 | x | 125 | 86,1 | | * | | |
| 260 | x | 80 | 56,2 | | * | | * |
| 300 | x | 10 | 8,10 | * | | | |
| 300 | x | 15 | 12,2 | * | | * | |
| 300 | x | 20 | 16,2 | * | * | | |
| 300 | x | 30 | 24,3 | | * | * | |
| 310 | x | 25 | 20,9 | | * | | |
| 310 | x | 40 | 33,5 | | * | | |
| 310 | x | 50 | 41,9 | | * | | |
| 310 | x | 55 | 46,0 | | | | * |
| 310 | x | 60 | 50,2 | | * | | |
| 310 | x | 75 | 62,8 | | * | | |
| 310 | x | 80 | 67,0 | | * | | |
| 310 | x | 120 | 100,0 | | * | | |
| 330 | x | 65 | 57,9 | | | | * |
| 330 | x | 70 | 62,4 | | * | | |
| 330 | x | 85 | 75,7 | | | | * |
| 370 | x | 50 | 50,0 | | | | * |
| 400 | x | 200 | 216,0 | | * | | |

OBS! Vi selger kun engros.