


Kobber

plater kveil runde rør firkantrør
rundbolt firkantbolt sekskantbolt flatskinner

alunor metall as




SHEETS

size mm x Format	weight kg/m ²	E-Cu C 1100	E-Cu C 1100	E-Cu C 1100	E-Cu C 1100	SF-Cu C 12200	SF-Cu C 12200	SE-Cu C 10200
		F20 soft	F25 half hard	F30 hard	hard as rolled	F20 soft	F25 hard	hard as rolled
0.03 x 300 x 650	0.28						●	
0.03 x 300 x 650	0.28						●	
0.04 x 300 x 650	0.38						●	
0.05 x 300 x 650	0.47					●		
0.10 x 600 x 600	0.94						●	
0.40 x 600 x 2000	3.77							
0.50 x 1000 x 2000	4.72	●	●			●	●	
0.60 x 1000 x 2000	5.66					●	●	
0.65 x 1000 x 2000	6.13					●	●	
0.70 x 1000 x 2000	6.60					●	●	
x 1250 x 2500							●	
0.80 x 1000 x 2000	7.54	●	●			●	●	
x 1250 x 2500							●	
1.00 x 1000 x 2000	9.43	●	●			●	●	
x 1250 x 2500							●	
1.20 x 1000 x 2000	11.53		●			●	●	
1.50 x 1000 x 2000	14.42	●	●			●	●	
x 1250 x 2500							●	
2.00 x 1000 x 2000	19.22	●	●			●	●	●
x 1250 x 2500							●	
2.50 x 1000 x 2000	24.03	●	●			●	●	
3.00 x 1000 x 2000	28.83	●	●			●	●	
4.00 x 1000 x 2000	38.44	●	●			●	●	●
5.00 x 1000 x 2000	48.05	●	●			●	●	●
6.00 x 1000 x 2000	57.66	●	●			●	●	●
8.00 x 1000 x 2000	76.88	●	●			●	●	●
10.00 x 1000 x 2000	96.10	●	●			●	●	●
12.00 x 1000 x 2000	115.32		●			●	●	●
15.00 x 1000 x 2000	144.15		●			●	●	●
20.00 x 1000 x 2000	192.20					●	●	●
25.00 x 1000 x 2000	240.25					●	●	●
30.00 x 1000 x 3000	288.30					●	●	●
35.00 x 1000 x 3000	336.35					●	●	●
40.00 x 1000 x 3000	384.40					●	●	●
45.00 x 800 x 3000	424.40					●	●	●
50.00 x 800 x 3000	480.50					●	●	●
55.00 x 800 x 3000	528.55					●	●	●
60.00 x 800 x 3000	576.60					●	●	●
70.00 x 800 x 3000	672.70					●	●	●
80.00 x 500 x 3000	768.88					●	●	●
90.00 x 500 x 3000	864.90					●	●	●
100.00 x 800 x 2000	961.00					●	●	●
120.00 x 500 x 2000	1155.00					●	●	●
150.00 x 500 x 2000	1441.50					●	●	●

DIN 1787
17670
1751
40500

C 11000 = Electrolytic copper
C 12200 = Oxygen-free copper

Our Service-Centre supplies any cut size!




COILS

	0.20	●	●	●				
	0.25	●	●	●				
	0.30	●	●	●				
	0.40	●	●	●				
	0.50	●	●	●				
	0.60	●	●	●				
	0.70	●	●	●				
	0.80	●	●	●				
	0.90	●	●	●				
	1.00	●	●	●				
	1.25	●	●	●				
	1.50	●	●	●				
	2.00	●	●	●				
	2.50	●	●	●				
	3.00	●	●	●				

DIN 1787
1791
40500

We slit any width from 10 mm to 550 mm. There are no minimum quantities.




TUBES

kg/m		SF-Cu C 12200	kg/m		SF-Cu C 12200	kg/m		SF-Cu C 12200
3 x 1.0	0.06	●	20 x 1.0	0.56	●	35 x 1.0	0.99	●
4 x 1.0	0.08	●	x 1.5*	0.82	●	x 1.5*	1.49	●
5 x 1.0	0.12	●	x 2.0	1.06	●	x 2.0	1.93	●
6 x 1.0	0.15	●	x 2.5	1.29	●	x 2.5	2.38	●
x 1.5	0.20	●	x 3.0	1.50	●	x 3.0	3.65	●
7 x 1.0	0.19	●	x 3.5	1.70	●	x 4.0	3.64	●
8 x 1.0*	0.21	●	x 4.0	1.87	●	x 5.0	4.39	●
x 1.5	0.29	●	x 5.0	2.21	●	36 x 2.0	1.99	●
x 2.0*	0.36	●	22 x 1.0	0.62	●	x 3.0	2.91	●
9 x 1.0	0.24	●	x 1.5*	0.90	●	38 x 1.5	1.62	●
10 x 1.0*	0.27	●	x 2.0	1.18	●	x 2.0	2.12	●
x 1.5	0.38	●	x 2.5	1.43	●	x 2.5	2.61	●
x 2.0*	0.47	●	x 3.0	1.67	●	x 3.0	3.09	●
x 2.5	0.55	●	x 3.5	1.90	●	x 4.0	3.99	●
x 3.0	0.62	●	x 4.0	2.11	●	40 x 1.0	1.14	●
11 x 1.0	0.29	●	23 x 1.0	0.65	●	x 1.5	1.69	●
x 1.5	0.42	●	x 1.5	0.95	●	x 2.0	2.23	●
x 2.0	0.53	●	24 x 1.5	0.99	●	x 2.5	2.75	●
x 3.0	0.71	●	x 2.0	1.29	●	x 3.0	3.26	●
12 x 1.0*	0.32	●	x 3.0	1.84	●	x 4.0	4.23	●
x 1.5*	0.46	●	x 4.0	2.35	●	x 5.0	5.14	●
x 2.0*	0.59	●	25 x 1.0	0.70	●	x 6.0	5.98	●
x 2.5	0.69	●	x 1.5*	1.03	●	x 10.0**	8.81	●
x 3.0	0.80	●	x 2.0*	1.35	●	42 x 1.5	1.80	●
13 x 1.0	0.35	●	x 2.5	1.66	●	x 2.0	2.35	●
x 1.5	0.50	●	x 3.0	1.94	●	x 2.5	2.89	●
x 2.0	0.65	●	x 4.0	2.46	●	x 3.0	3.43	●
x 2.5	0.77	●	x 5.0	2.94	●	x 4.0	4.46	●
x 3.0	0.88	●	x 6.0	3.35	●	43 x 4.5	5.32	●
14 x 1.0	0.38	●	28 x 1.0	0.79	●	x 9.0	9.41	●
x 1.5	0.56	●	x 1.5*	1.18	●	45 x 1.0	1.29	●
x 2.0*	0.70	●	x 2.0	1.54	●	x 1.5	1.92	●
x 2.5	0.84	●	x 2.5	1.87	●	x 2.0*	2.53	●
x 3.0	0.97	●	x 3.0	2.21	●	x 2.5*	3.13	●
x 4.0	1.18	●	x 4.0	2.81	●	x 3.0	3.70	●
15 x 1.0	0.41	●	x 6.0	3.87	●	x 4.0	4.54	●
x 1.5	0.60	●	30 x 1.0	0.85	●	x 5.0	5.88	●
x 2.0	0.77	●	x 1.5*	1.26	●	46 x 2.0	2.58	●
x 2.5	0.92	●	x 2.0	1.65	●	x 3.0	3.79	●
x 3.0	2.00	●	x 2.5	2.03	●	48 x 1.0	1.37	●
16 x 1.0	0.44	●	x 3.0	2.37	●	x 1.5	2.05	●
x 1.5*	0.64	●	x 3.5	2.71	●	x 2.0	2.70	●
x 2.0*	0.83	●	x 4.0	3.06	●	x 3.0	4.01	●
x 2.5	0.99	●	x 5.0	3.67	●	x 4.0	5.17	●
x 3.0	1.12	●	x 6.0	4.23	●	50 x 1.5	2.13	●
17 x 1.0	0.47	●	x 8.0	5.17	●	x 2.0	2.84	●
x 1.5	0.68	●	x 10.0**	5.86	●	x 2.5	3.49	●
x 2.0	0.88	●	32 x 1.5	1.35	●	x 3.0	4.15	●
x 2.5	1.06	●	x 2.0	1.76	●	x 4.0	5.41	●
x 3.0	1.23	●	x 3.0	2.56	●	x 5.0**	6.61	●
x 4.0	1.52	●	x 4.0	3.28	●	x 8.0	9.85	●
18 x 1.0	0.50	●	33 x 1.5*	1.49	●	x 10.0**	11.74	●
x 1.5*	0.74	●	x 2.0	1.93	●	x 15.0	15.44	●
x 2.0*	0.95	●	x 3.0	1.81	●	53 x 1.5	2.27	●
x 2.5	1.13	●	34 x 1.5	1.43	●	54 x 1.5	2.31	●
x 3.0	1.32	●	x 2.0	1.88	●	x 2.0	3.07	●
x 4.0	1.65	●	x 3.0	2.73	●	55 x 2.5	3.85	●
19 x 1.0	0.52	●	x 4.0	3.53	●	x 3.0	4.57	●
x 2.0	0.99	●	x 5.0	4.26	●	x 5.0	7.34	●
x 2.5	1.21	●				x 8.0	11.03	●
x 3.0	1.41	●				x 10.0**	13.21	●

DIN 1787
17671
1754

* also in alloy C 14200
** also in alloy C 10300

		SF-Cu C 12200			SF-Cu C 12200			SF-Cu C 12200
kg/m			kg/m			kg/m		
56 x 3.0	4.67	●	75 x 2.5	5.32	●	108 x 2.5*	7.75	●
57 x 1.5*	2.45	●	76 x 2.0*	4.35	●	x 3.0	9.25	●
x 2.0*	3.23	●	x 2.5*	5.40	●	x 4.0*	12.21	●
x 2.5*	4.01	●	x 3.0*	6.44	●	110 x 2.0	15.59	●
x 3.0	4.75	●	80 x 2.0	4.57	●	x 5.0	15.44	●
x 3.5*	5.51	●	x 2.5	5.70	●	x 10.0	29.35	●
x 5.0	7.63	●	x 3.0	6.79	●	x 15.0	33.76	●
60 x 1.5	2.57	●	x 5.0	11.01	●	114 x 4.0	12.91	●
x 2.0	3.40	●	x 10.0**	20.58	●	120 x 5.0	16.88	●
x 2.5	4.22	●	x 11.0**	22.84	●	x 10.0**	32.29	●
x 3.0	5.02	●	x 15.0**	23.66	●	x 15.0	37.14	●
x 4.0	6.59	●	x 20.0**	35.21	●	124 x 7.0	24.05	●
x 5.0**	8.09	●	85 x 2.5	6.06	●	130 x 10.0**	35.21	●
x 6.0	9.51	●	x 3.0	7.22	●	133 x 3.0*	11.55	●
x 10.0**	14.70	●	x 5.0	11.73	●	135 x 5.0	19.07	●
x 15.0	16.90	●	x 10.0	22.01	●	x 10.0	36.69	●
63 x 2.0	3.75	●	x 12.0	24.64	●	x 15.0	42.20	●
x 3.0	5.53	●	x 15.0	30.81	●	140 x 5.0	19.81	●
65 x 2.5	4.59	●	x 20.0	38.15	●	x 7.5	30.56	●
x 3.0	5.46	●	86 x 3.0*	7.30	●	10.0**	38.16	●
x 5.0	8.81	●	89 x 2.0	5.11	●	x 15.0	43.89	●
x 12.0	18.66	●	x 2.5*	6.35	●	150 x 5.0	21.28	●
66 x 1.0	1.89	●	90 x 2.5	6.42	●	x 10.0**	41.10	●
x 3.0	5.56	●	x 3.0	7.04	●	x 15.0	47.27	●
70 x 2.0	3.99	●	x 4.0	10.10	●	155 x 5.0**	13.20	●
x 2.5	4.96	●	x 5.0**	12.50	●	x 20.0**	79.22	●
x 3.0	5.90	●	x 6.0**	14.79	●	160 x 10.0**	44.03	●
x 4.0	7.74	●	x 10.0**	23.48	●	170 x 10.0**	46.94	●
x 5.0	9.54	●	100 x 5.0	13.95	●	180 x 10.0**	49.90	●
x 6.0	11.27	●	x 10.0**	26.38	●	190 x 11.0	58.65	●
x 10.0**	17.64	●	104 x 2.0	5.98	●	219 x 3.0	19.05	●
x 12.5	21.59	●	105 x 10.0	39.61	●	220 x 10.0**	61.62	●
x 15.0	24.21	●	x 15.0	31.69	●	267 x 3.0	23.28	●




TUBES

DIN 1787
17671
1754


* also in alloy C 14200
** also in alloy C 10300

		SF-Cu C 12200			SF-Cu C 12200			SF-Cu C 12200
mm	kg/m		mm	kg/m		mm	kg/m	
4 x 4 x 0.5	0.06	●	x 10 x 2.0	0.57	●	x 12 x 1.0	0.53	●
x 4 x 1.0	0.11	●	12 x 6 x 1.0	0.61	●	x 12 x 1.5	0.77	●
5 x 3 x 0.5	0.06	●	x 6 x 1.5	0.40	●	x 14 x 2.0	1.07	●
x 5 x 0.5	0.08	●	x 8 x 1.0	0.33	●	x 20 x 1.5	1.01	●
x 5 x 1.0	0.14	●	x 10 x 1.3	0.46	●	22 x 16 x 3.0	1.87	●
6 x 6 x 1.0	0.18	●	x 10 x 2.0	0.65	●	26 x 17 x 3.0	2.05	●
7 x 5 x 1.0	0.18	●	x 12 x 1.0	0.40	●	30 x 10 x 1.5	0.99	●
8 x 5 x 1.0	0.20	●	15 x 10 x 1.0	0.41	●	45 x 35 x 4.0	5.13	●
x 6 x 1.0	0.21	●	x 10 x 1.5	0.59	●	50 x 15 x 2.0	2.17	●
x 8 x 1.5	0.25	●	16 x 12 x 1.0	0.47	●	60 x 40 x 4.0	6.55	●
x 8 x 1.5	0.35	●	x 14 x 1.0	0.50	●			
10 x 5 x 1.0	0.23	●	x 14 x 2.0	0.93	●			
x 6 x 1.0	0.25	●	18 x 18 x 1.0	0.61	●			
x 8 x 1.5	0.42	●	20 x 10 x 1.0	0.50	●			
x 10 x 1.0	0.32	●	x 10 x 2.0	0.92	●			



SQUARE TUBES

SE-Cu F20/F25
C 10300




**TUBES FOR
CONDENSERS AND
HEAT EXCHANGERS**

DIN 1785
1755
17660
17664

*We cut ex-stock tubes to any
required condenser length
guaranteeing highest tolerances
on length.*

size	CuZn 20Al2 C 68700	CuNi 10 Fe C 70600	size	CuZn 20Al2 C 68700	CuNi 10 Fe C 70600
6 x 1.0		●	16 x 1.0	●	●
8 x 1.0	●	●	x 1.2	●	●
10 x 1.0	●	●	x 1.5	●	●
x 1.5		●	x 2.0		●
11 x 1.0	●		18 x 1.0	●	
			x 1.2	●	●
12 x 1.0	●	●	x 1.5	●	●
x 1.2	●	●			
x 1.5	●	●	19 x 1.2	●	
14 x 1.0	●	●	x 1.5	●	
x 1.2	●		20 x 1.0	●	●
x 1.5		●	x 1.5	●	●
15 x 1.0	●	●	22 x 1.2	●	
x 1.2	●	●	25 x 1.5	●	●
x 1.5		●	x 2.0	●	
			28 x 1.2	●	●
			x 1.5	●	●
			x 2.0	●	●



SEA WATER TUBES


*for SHIP and
OFFSHORE-CONSTRUCTION*

DIN 1785
17660
17664

*Of course we stock all connection
pieces such as:
BENDS - FLANGES -
REDUCERS - COLLARS
in all sizes.*

size	CuZn 20 AL2 C 68700	CuNi 10 Fe C 70600	size	CuZn 20 AL2 C 68700	CuNi 10 Fe C 70600
30 x 1.5	●	●	108 x 2.5	●	●
x 2.0	●	●	x 3.0		●
35 x 1.2		●	133 x 2.5	●	●
x 1.5	●		x 3.0	●	●
x 2.0	●		159 x 2.5	●	●
38 x 1.5	●	●	x 3.0	●	●
x 2.0	●	●	194 x 2.5	●	●
42 x 1.5	●	●	219 x 3.0	●	●
x 2.0	●		x 3.5		●
44 x 1.5	●	●	267 x 3.0	●	●
x 2.0	●	●	x 4.0	●	●
57 x 1.5	●	●	324 x 4.0	●	●
x 2.0	●	●	342 x 5.0	●	●
x 2.5	●	●	368 x 4.0	●	●
76 x 2.0	●	●			
x 2.5	●	●			
89 x 2.0	●	●			
x 2.5	●	●			


		E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200
mm	kg/m			mm	kg/m			mm	kg/m		
2.5	0.05	●		22.0	3.55	●		70.0	35.96	●	
4.0	0.12	●									
4.5	0.15	●		23.0	3.71	●		75.0	41.19	●	
5.0	0.18	●		24.0	4.23	●		80.0	46.98	●	●
5.5	0.22	●		25.0	4.59	●		85.0	50.64	●	
				26.0	4.97	●		90.0	59.45	●	
6.0	0.26	●		27.0	5.11	●		100.0	73.36	●	●
6.5	0.31	●									
7.0	0.36	●		28.0	5.75	●		110.0	89.25	●	
8.0	0.47	●		30.0	6.60	●		115.0	92.72	●	
9.0	0.59	●		32.0	7.52	●		120.0	106.05	●	●
				33.0	7.99	●		130.0	123.90	●	●
10.0	0.74	●		34.0	8.48	●		135.0	133.69	●	
11.0	0.89	●									
12.0	1.06	●		35.0	8.99	●		140.0	137.55	●	
13.0	1.24	●		36.0	9.51	●		150.0	164.85	●	●
14.0	1.44	●		38.0	10.59	●		160.0	187.80	●	●
				40.0	11.74	●		170.0	202.65	●	●
15.0	1.65	●		42.0	12.95	●		180.0	237.30	●	●
16.0	1.88	●									
18.0	2.37	●		45.0	14.86	●		190.0	264.60	●	
19.0	2.65	●		50.0	18.35	●		200.0	294.00	●	●
20.0	2.94	●		55.0	22.20	●		210.0	309.75	●	●
				60.0	26.42	●	●	240.0	406.35	●	●
				65.0	31.01	●					



ROUND

DIN 1787
1782
40500


		E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200
mm	kg/m			mm	kg/m			mm	kg/m		
5.0	0.23	●		35.0	11.45	●		100.0	100.57	●	
6.0	0.34	●		40.0	14.95	●		120.0	128.25		
8.0	0.60	●		45.0	18.92	●		150.0	202.00		
10.0	0.93	●		50.0	23.56	●					
12.0	1.34	●		55.0	28.04	●					
15.0	2.10	●		60.0	33.64	●	●				
18.0	3.03	●		70.0	45.79	●					
20.0	3.74	●		75.0	52.56	●					
25.0	5.84	●		80.0	59.81	●					
30.0	8.41	●		90.0	75.69	●					



SQUARE

DIN 1787
1761
17674
40500

		E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200			E-Cu 57 C 11000	SF-Cu C 12200
mm	kg/m			mm	kg/m			mm	kg/m		
12.0	1.17	●									
14.0	1.59	●									
17.0	2.34	●									
19.0	2.92	●									
24.0	4.66	●									
27.0	5.90	●									



HEXAGONAL

DIN 1787
1763
17674
40500



FLAT BARS

mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000
6 x	2.0	0.11	●	30 x	2.0	0.56	●	55 x	40.0	20.91	●
x	3.0	0.16	●	x	3.0	0.84	●	60 x	3.0	1.69	●
x	4.0	0.21	●	x	4.0	1.12	●	x	4.0	1.80	●
7 x	5.0	0.33	●	x	5.0*	1.41	●	x	5.0*	2.80	●
8 x	2.0	0.14	●	x	6.0	*1.68	●	x	6.0	3.36	●
x	3.0	0.22	●	x	8.0*	2.25	●	x	8.0	4.48	●
x	4.0	0.30	●	x	10.0*	2.80	●	x	10.0*	5.61	●
x	5.0	0.38	●	x	12.0	3.36	●	x	12.0	6.73	●
10 x	2.0	0.19	●	x	15.0*	4.21	●	x	15.0*	8.41	●
x	3.0	0.28	●	x	20.0	5.61	●	x	20.0	11.21	●
x	4.0	0.38	●	x	25.0	7.01	●	x	25.0	14.02	●
x	5.0	0.47	●	35 x	2.0	0.65	●	x	30.0	16.82	●
x	6.0	0.53	●	x	3.0	0.98	●	x	35.0	19.62	●
x	8.0	0.75	●	x	4.0	1.31	●	x	40.0	22.43	●
12 x	2.0	0.22	●	x	5.0	1.64	●	x	50.0	28.04	●
x	3.0	0.34	●	x	6.0	1.96	●	65 x	10.0	6.07	●
x	4.0*	0.45	●	x	8.0	2.61	●	x	15.0	9.11	●
x	5.0*	0.56	●	x	10.0	3.27	●	x	20.0	12.15	●
x	6.0	0.67	●	x	12.0*	3.93	●	x	30.0	18.22	●
x	8.0	0.89	●	x	15.0	4.90	●	x	40.0	24.40	●
x	10.0	1.07	●	x	20.0	6.54	●	70 x	5.0	3.28	●
14 x	3.0	0.39	●	x	25.0	8.18	●	x	6.0	3.92	●
15 x	2.0	0.28	●	40 x	2.0	0.75	●	x	8.0	5.23	●
x	3.0	0.42	●	x	3.0	1.12	●	x	10.0	6.54	●
x	4.0	0.56	●	x	4.0	1.49	●	x	12.0	7.85	●
x	5.0	0.70	●	x	5.0*	1.87	●	x	15.0	9.81	●
x	6.0	0.84	●	x	6.0	2.25	●	x	20.0	13.08	●
x	8.0	1.12	●	x	8.0	2.99	●	x	25.0	16.36	●
x	10.0	1.41	●	x	10.0*	3.74	●	x	30.0	19.62	●
x	12.0	1.68	●	x	12.0	4.49	●	x	35.0	22.90	●
16 x	3.0	0.43	●	x	15.0	5.61	●	x	40.0	26.17	●
x	4.0*	0.60	●	x	20.0	7.48	●	x	50.0	32.71	●
x	5.0	0.75	●	x	25.0	9.35	●	80 x	5.0*	3.74	●
x	6.0	0.96	●	x	30.0	11.24	●	x	6.0	4.48	●
x	8.0	1.20	●	45 x	2.0	0.84	●	x	8.0*	5.99	●
x	10.0	1.61	●	x	3.0	1.27	●	x	10.0*	7.48	●
18 x	2.0	0.41	●	x	4.0	1.68	●	x	12.0	8.97	●
x	3.0	0.50	●	x	5.0	2.10	●	x	15.0*	11.21	●
x	4.0	0.67	●	x	6.0	2.52	●	x	20.0	14.95	●
x	6.0	1.01	●	x	8.0	3.37	●	x	25.0	18.69	●
x	10.0	1.68	●	x	10.0	4.21	●	x	30.0	22.43	●
20 x	2.0	0.38	●	x	12.0	5.05	●	x	35.0	26.17	●
x	3.0*	0.56	●	x	15.0	6.31	●	x	40.0	29.90	●
x	4.0	0.75	●	x	20.0	8.41	●	x	50.0	37.38	●
x	5.0*	0.93	●	x	25.0	10.63	●	x	60.0	44.86	●
x	6.0	1.12	●	x	30.0	12.63	●	85 x	3.0	2.38	●
x	8.0	*1.49	●	x	40.0	18.94	●	x	25.0	20.01	●
x	10.0*	1.87	●	50 x	2.0	0.93	●	90 x	4.0*	3.36	●
x	12.0	2.25	●	x	3.0	1.41	●	x	5.0	4.21	●
x	15.0	2.80	●	x	4.0*	1.87	●	x	6.0	5.05	●
25 x	2.0	0.47	●	x	5.0*	2.34	●	x	8.0	6.73	●
x	3.0*	0.70	●	x	6.0*	2.80	●	x	10.0	8.41	●
x	4.0	0.93	●	x	8.0*	3.74	●	x	12.0	10.09	●
x	5.0	1.17	●	x	10.0*	4.67	●	x	15.0	12.62	●
x	6.0	1.41	●	x	12.0*	5.61	●	x	20.0	16.82	●
x	8.0	1.87	●	x	15.0*	7.01	●	x	25.0	21.03	●
x	10.0	2.34	●	x	20.0	9.35	●	x	30.0	25.23	●
x	12.0	2.80	●	x	25.0	11.69	●	x	40.0	33.64	●
x	15.0	3.51	●	x	30.0	14.02	●	x	50.0	42.05	●
x	20.0	4.67	●	x	35.0	16.36	●	x	60.0	50.49	●
				x	40.0	18.69	●				

DIN 1756
1787
1759
1782
40500

* also with radius edge acc. to
DIN 46433

mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000	mm		kg/m	E-Cu 57 C 11000
100 x 5.0	5.0	4.67	●	125 x 10.0	10.0	11.68	●	180 x 10.0	10.0	16.82	●
x 6.0*	6.0	5.61	●	x 15.0	15.0	17.52	●	x 12.0	12.0	20.19	●
x 8.0	8.0	7.48	●	x 20.0	20.0	23.36	●	x 15.0	15.0	25.23	●
x 10.0*	10.0	9.35	●	x 25.0	25.0	29.20	●	x 20.0	20.0	33.64	●
x 12.0	12.0	11.21	●	x 30.0	30.0	35.04	●	x 30.0	30.0	50.46	●
x 15.0*	15.0	14.02	●	x 40.0	40.0	46.73	●	x 40.0	40.0	67.28	●
x 20.0	20.0	18.69	●	140 x 6.0	6.0		●	x 50.0	50.0	84.11	●
x 25.0	25.0	23.36	●	x 10.0*	10.0	13.08	●	200 x 6.0	6.0		●
x 30.0	30.0	28.04	●	x 20.0	20.0	26.17	●	x 10.0*	10.0	18.69	●
x 35.0	35.0	32.71	●	x 30.0	30.0	39.25	●	x 12.0	12.0	22.43	●
x 40.0	40.0	37.38	●	x 40.0	40.0	52.33	●	x 15.0	15.0	28.04	●
x 50.0	50.0	46.73	●	x 50.0	50.0	65.42	●	x 20.0	20.0	37.38	●
x 60.0	60.0	56.07	●	150 x 5.0	5.0	7.01	●	x 25.0	25.0	46.73	●
x 80.0	80.0	74.76	●	x 8.0	8.0	11.24	●	x 30.0	30.0	56.07	●
120 x 4.0	4.0	4.49	●	x 10.0	10.0	13.99	●	x 50.0	50.0	93.45	●
x 5.0*	5.0	5.61	●	x 12.0	12.0	16.80	●	x 60.0	60.0	112.14	●
x 6.0	6.0	6.72	●	x 15.0	15.0	21.02	●	250 x 10.0	10.0	23.36	●
x 8.0	8.0	8.97	●	x 20.0	20.0	28.04	●	x 12.0	12.0	28.03	●
x 10.0*	10.0	11.21	●	x 25.0	25.0	35.04	●	x 15.0	15.0	35.04	●
x 12.0	12.0	13.46	●	x 30.0	30.0	42.05	●	x 20.0	20.0	46.73	●
x 15.0	15.0	16.82	●	x 40.0	40.0	56.07	●	x 30.0	30.0	70.14	●
x 20.0	20.0	22.43	●	x 50.0	50.0	70.09	●	x 40.0	40.0	93.45	●
x 25.0	25.0	28.04	●	160 x 8.0	8.0	11.96	●	x 50.0	50.0	116.87	●
x 30.0	30.0	33.64	●	x 10.0*	10.0	14.95	●				
x 40.0	40.0	44.86	●	x 12.0	12.0	17.94	●				
x 50.0	50.0	56.07	●	x 15.0	15.0	22.43	●				
x 60.0	60.0	67.28	●	x 20.0	20.0	29.90	●				
x 80.0	80.0	89.67	●	x 30.0	30.0	44.86	●				
				x 40.0	40.0	59.81	●				
				x 60.0	60.0	89.71	●				
				x 80.0	80.0	119.62	●				



FLAT BARS

DIN 1756
1787
1759
1782
40500

* also with radius edge acc. to
DIN 46433

Any FLAT BAR SIZE not listed
can be cut-to-size
at our SERVICE-CENTRE
with a tolerance on width
of 0,1 mm.

KOBBER

Runde rør, bløde i ringe

GR/MTR	udv	gods	(indv x udv)
20	2 x	0,5	(1,0 x 2,0)
45	3 x	0,75	(1,5 x 3,0)
80	4 x	1	(2,0 x 4,0)
110	5 x	1	(3,0 x 5,0)
140	6 x	1	(4,0 x 6,0)
200	8 x	1	(6,0 x 8,0)

GR/MTR	udv	gods	(indv x udv)
250	10 x	1	(8,0 x 10,0)
310	12 x	1	(10,0 x 12,0)
370	14 x	1	(12,0 x 14,0)
390	15 x	1	(13,0 x 15,0)
440	16 x	1	(14,0 x 16,0)

Runde rør, bløde i ringe, Tommemål

GR/MTR	udv	gods	(indv x udv)
89	3/16 "	x 0,8	(3,16 x 4,75)
124	1/4 "	x 0,8	(4,75 x 6,35)

GR/MTR	udv	gods	(indv x udv)
160	5/16 "	x 0,8	(6,34 x 7,94)

Runde rør, bløde i ringe, (køle / olie)

GR/MTR	udv	gods	(indv x udv)
120	1/4 "	x 0,75	(4,85 x 6,35)
195	3/8 "	x 0,8	(7,93 x 9,53)
240	3/8 "	x 1	(7,53 x 9,53)

GR/MTR	udv	gods	(indv x udv)
282	1/2 "	x 0,81	(11,10 x 12,70)
330	1/2 "	x 1	(10,70 x 12,70)
337	5/8 "	x 0,89	(14,10 x 15,88)

Bølge - plader, 1/2 hård

KG	Bølge på langs 5 mm
12,00	0,6 x 1000 x 2000

Hammer - plader, 1/2 hård

KG	
12,00	0,6 x 1000 x 2000

Kvadrat - plader, 1/2 hård

KG	
12,00	0,6 x 1000 x 2000

Stucco - plader, 1/2 hård

KG	
5,40	0,6 x 500 x 2000

Foliebånd, blød

KG/MTR	
0,07	0,05 x 150
0,09	0,075 x 150
0,13	0,10 x 150
0,20	0,15 x 150
0,26	0,20 x 150

KG/MTR	
0,33	0,25 x 150
0,40	0,30 x 150
0,53	0,40 x 150
0,67	0,50 x 150
0,80	0,60 x 150

KG/MTR	
0,93	0,70 x 150
1,07	0,80 x 150
1,20	0,90 x 150
1,34	1,00 x 150

Foliebånd, 1/2 hård

KG/MTR	
0,27	0,10 x 300
0,40	0,15 x 300
0,53	0,20 x 300

KG/MTR	
0,67	0,25 x 300
0,80	0,30 x 300

KG/MTR	
1,07	0,40 x 300
1,34	0,50 x 300