

Messing

Plater / rør /skinner

Bolt / Stang – rund – firkant – sekskant

Vinkel / U-profil

Spesialprofiler

alunor metall as

**Vi skaffer også kobber, bronse, nysølv,
bly og zink.**

Handelsbetegnelser på specialprofiler i messing

Flad med 2 runde kanter



1/2 rund profil m. hvet bund



1/2 R med flad bund



Gebønder Profil



Store-H profil




T profil



Dobbelt U profil



U profil



Net skinn



Net skinn



Trappeskinner & samleskinner i messing

No. 275



No. 315



No. 120



No. 240




No. 125




No. 230



No. 422



No. 443



No. 135




No. 250



No. 420



No. 550



No. 430



No. 848




No. 717



No. 618



No. 425



No. 617



MESSING

Cu58Zn39Pb3

4kt stang

KG/MTR			KG/MTR			KG/MTR			KG/MTR						
0,05	2,5	x	2,5	2,46	17	x	17	21,25	50	x	50	0,14	4	x	4
0,08	3	x	3	2,75	18	x	18	22,98	52	x	52	0,21	5	x	5
0,14	4	x	4	3,07	19	x	19	25,71	55	x	55	0,31	6	x	6
0,21	5	x	5	3,40	20	x	20	30,60	60	x	60	0,54	8	x	8
0,31	6	x	6	4,11	22	x	22	35,91	65	x	65	0,85	10	x	10
0,42	7	x	7	5,31	25	x	25	41,65	70	x	70				
0,54	8	x	8	6,66	28	x	28	47,81	75	x	75				
0,69	9	x	9	7,65	30	x	30	54,40	80	x	80				
0,85	10	x	10	8,70	32	x	32	61,40	85	x	85				
1,03	11	x	11	10,41	35	x	35	68,85	90	x	90				
1,22	12	x	12	12,27	38	x	38	85,00	100	x	100				
1,44	13	x	13	13,60	40	x	40	102,85	110	x	110				
1,67	14	x	14	14,99	42	x	42	122,40	120	x	120				
1,91	15	x	15	17,21	45	x	45	143,65	130	x	130				
2,18	16	x	16												

Føres i bukkekvalitet
Cu60Zn38Pb1,5

6kt stang

KG/MTR			KG/MTR			KG/MTR		
0,03	NV	2	2,95	NV	20	10,64	NV	38
0,05	NV	2,5	3,25	NV	21	11,20	NV	39
0,07	NV	3	3,57	NV	22	11,79	NV	40
0,12	NV	4	3,90	NV	23	12,37	NV	41
0,18	NV	5	4,24	NV	24	12,99	NV	42
0,27	NV	6	4,60	NV	25	14,92	NV	45
0,36	NV	7	4,98	NV	26	15,59	NV	46
0,47	NV	8	5,37	NV	27	18,42	NV	50
0,60	NV	9	5,78	NV	28	19,92	NV	52
0,74	NV	10	6,19	NV	29	22,28	NV	55
0,89	NV	11	6,63	NV	30	26,52	NV	60
1,06	NV	12	7,07	NV	31	31,12	NV	65
1,24	NV	13	7,54	NV	32	36,10	NV	70
1,44	NV	14	8,02	NV	33	41,44	NV	75
1,66	NV	15	8,51	NV	34	47,15	NV	80
1,89	NV	16	9,02	NV	35	59,67	NV	90
2,13	NV	17	9,55	NV	36	73,67	NV	100
2,39	NV	18	10,08	NV	37	89,07	NV	110
2,66	NV	19						

MESSING

Cu58Zn39Pb3

Rundstang Ø

KG/MTR		KG/MTR		KG/MTR	
0,01	1	1,93	17	16,69	50
0,02	1,5	2,16	18	18,05	52
0,03	2	2,41	19	19,47	54
0,04	2,5	2,67	20	20,19	55
0,06	3	2,94	21	20,94	56
0,07	3,2	3,23	22	22,46	58
0,08	3,5	3,53	23	24,03	60
0,11	4	3,85	24	28,21	65
0,14	4,5	4,18	25	32,71	70
0,17	5	4,51	26	37,55	75
0,20	5,5	4,87	27	42,73	80
0,24	6	5,23	28	48,23	85
0,26	6,3	5,61	29	54,07	90
0,28	6,5	6,01	30	60,25	95
0,33	7	6,42	31	66,67	100
0,38	7,5	6,84	32	73,60	105
0,43	8	7,27	33	80,78	110
0,48	8,5	7,72	34	88,29	115
0,54	9	8,18	35	96,13	120
0,60	9,5	8,65	36	104,31	125
0,67	10	9,14	37	112,82	130
0,74	10,5	9,64	38	121,67	135
0,81	11	10,15	39	130,85	140
0,88	11,5	10,68	40	140,36	145
0,96	12	11,22	41	150,21	150
1,04	12,5	11,78	42	170,91	160
1,13	13	12,34	43	192,93	170
1,22	13,5	12,92	44	216,30	180
1,31	14	13,52	45	267,00	200
1,40	14,5	14,75	47	295,00	210
1,50	15	15,38	48	337,97	225
1,71	16	16,03	49	417,24	250

Føres i bukkekvalitet Cu60Zn38Pb1,5:

KG/MTR		KG/MTR		KG/MTR	
0,06	3	0,33	7	1,50	15
0,11	4	0,43	8	2,67	20
0,17	5	0,67	10	4,18	25
0,24	6	0,96	12		

Føres i støbt:

323,10	220
353,00	230
384,53	240
1068,15	400

MESSING

Cu63Zn37

Tråd, blød

GR/MTR	
6,70	1,00
10,40	1,25
15,00	1,50

GR/MTR	
26,70	2,00
41,70	2,50
60,00	3,00

GR/MTR	
107,00	4,00
167,00	5,00

Tråd, 1/2 hård

GR/MTR		
0,07	0,10	kun spole
0,27	0,20	kun spole
0,60	0,30	kun spole
1,07	0,40	kun spole
1,67	0,50	både spole og ring
2,40	0,60	
3,30	0,70	
3,80	0,75	

GR/MTR	
4,00	0,80
6,00	0,90
6,70	1,00
10,40	1,25
15,00	1,50
20,00	1,75
26,70	2,00

GR/MTR	
41,70	2,50
60,00	3,00
82,00	3,50
107,00	4,00
135,00	4,50
167,00	5,00
202,00	5,50

Tråd, fjederhård

GR/MTR		
0,50	0,25	kun spole
1,67	0,50	
3,80	0,75	
6,00	0,90	dødtrukket
6,70	1,00	

GR/MTR	
10,40	1,25
15,00	1,50
26,70	2,00
41,70	2,50

GR/MTR	
60,00	3,00
82,00	3,50
107,00	4,00
167,00	5,00

Svejsetråd i 1 mtr. stave

GR/MTR	
6,70	1,00
15,00	1,50

MESSING

Cu58Zn39Pb3

Fladskinne,

* føres også i bukkekvalitet Cu60Zn38Pb1,5

KG/MTR				KG/MTR				KG/MTR			
0,07	2	x	4	1,19	4	x	35	0,68	8	x	10
0,09		x	5	1,36		x	40	0,82		x	12
0,10		x	6	1,70		x	50	1,02		x	15
0,14		x	8	2,04		x	60	1,36		x	20
0,17		x	10	2,72	4	x	80	1,70		x	25
0,20		x	12					2,04		x	30
0,26		x	15	0,34	5	x	8	2,38		x	35
0,34		x	20	0,43		x	10	2,72		x	40
0,43		x	25	0,51		x	12	3,40		x	50
0,51		x	30	0,64		x	15	4,08		x	60
0,60		x	35	0,85		x	20	4,76		x	70
0,68		x	40	1,06		x	25	5,44		x	80
0,85	2	x	50	1,28		x	30	6,80	8	x	100
				1,49		x	35				
0,13	3	x	5	1,70		x	40	1,02	10	x	12
0,15		x	6	1,91		x	45	1,28		x	15
0,18		x	7	2,13		x	50	1,70		x	20
0,20		x	8	2,34		x	55	2,13		x	25
0,26		x	10	2,55		x	60	2,55		x	30
0,31		x	12	2,76		x	65	2,98		x	35
0,38		x	15	2,98		x	70	3,40		x	40
0,51		x	20*	3,19		x	75	3,83		x	45
0,64		x	25	3,40		x	80	4,25		x	50
0,77		x	30	4,25	5	x	100	4,68		x	55
0,89		x	35					5,10		x	60
1,02		x	40	0,41	6	x	8	5,53		x	65
1,15		x	45	0,51		x	10	5,95		x	70
1,28		x	50	0,61		x	12	6,38		x	75
1,40		x	55	0,77		x	15	6,80		x	80
1,53		x	60	1,02		x	20	7,65		x	90
1,79	3	x	70	1,28		x	25	8,50		x	100
				1,53		x	30	9,35		x	110
0,20	4	x	6	1,79		x	35	10,20		x	120
0,27		x	8	2,04		x	40	12,75	10	x	150
0,34		x	10	2,55		x	50				
0,41		x	12	3,06		x	60	1,53	12	x	15
0,51		x	15	3,57		x	70	2,04		x	20
0,68		x	20	4,08		x	80	2,55		x	25
0,85		x	25	5,10	6	x	100	3,06		x	30
1,02	4	x	30					3,57	12	x	35

MESSING

Cu58Zn39Pb3

Fladskinne, fortsat

* føres i termisk afspændt tilstand

KG/MTR				KG/MTR				KG/MTR			
4,08	12	x	40	17,00	20	x	100	17,00	40	x	50 *
5,10		x	50	18,70		x	110	18,70		x	55
6,12		x	60	20,40		x	120	20,40		x	60 *
7,14		x	70	25,50	20	x	150	22,10		x	65 *
8,16		x	80					23,80		x	70
10,20		x	100	6,38	25	x	30	25,50		x	75
12,24	12	x	120	7,44		x	35	27,20		x	80
				8,50		x	40	34,00		x	100 *
2,55	15	x	20	9,56		x	45	37,40		x	110
3,19		x	25	10,63		x	50 *	40,80		x	120
3,83		x	30	12,75		x	60 *	51,00	40	x	150
4,46		x	35	14,88		x	70 *				
5,10		x	40	17,00		x	80	22,95	45	x	60 *
5,74		x	45	21,25		x	100 *	26,78		x	70 *
6,38		x	50	25,50		x	120	32,51		x	85
7,01		x	55	31,88	25	x	150	42,08		x	110 *
7,65		x	60					49,73	45	x	130 *
8,93		x	70	8,93	30	x	35				
10,20		x	80	10,20		x	40 *	25,50	50	x	60 *
11,48		x	90	11,48		x	45	29,75		x	70 *
12,75		x	100	12,75		x	50 *	34,00		x	80 *
15,30		x	120	14,03		x	55	42,50		x	100 *
19,13	15	x	150	15,30		x	60 *	51,00		x	120 *
				16,58		x	65	63,75	50	x	150
4,25	20	x	25	17,85		x	70 *				
5,10		x	30	20,40		x	80 *	39,74	55	x	85
5,95		x	35	25,50		x	100 *	51,43		x	110
6,80		x	40	28,05		x	110	60,78	55	x	130 *
7,65		x	45	30,60		x	120 *				
8,50		x	50	38,25	30	x	150	35,70	60	x	70 *
9,35		x	55					40,80		x	80 *
10,20		x	60	11,90	35	x	40	51,00		x	100 *
11,05		x	65	14,88		x	50 *	56,10		x	110 *
11,90		x	70	17,85		x	60 *	61,20	60	x	120 *
12,75		x	75	23,80		x	80 *				
13,60		x	80	29,75	35	x	100 *	71,83	65	x	130 *
15,30	20										

x

9

MESSING

U profil

KG/MTR	Bredde	Højde	Gods	Lysn.
0,15	4	x 8	x 1	/ 2
0,19	6	x 6	x 1,5	/ 3
0,17	6	x 8	x 1	/ 4
0,16	7	x 7	x 1	/ 5
0,21	7	x 10	x 1	/ 5
0,39	7	x 10	x 2	/ 3
0,12	8	x 4	x 1	/ 6
0,27	8	x 6	x 2	/ 4
0,19	8	x 8	x 1	/ 6
0,37	8	x 12	x 1,5	/ 5
0,21	9	x 9	x 1	/ 7
0,17	10	x 6	x 1	/ 8
0,24	10	x 10	x 1	/ 8
0,34	10	x 10	x 1,5	/ 7
0,44	10	x 10	x 2	/ 6
0,78	10	x 20	x 2	/ 6
0,32	12	x 8	x 1,5	/ 9
0,44	12	x 9	x 2	/ 8
0,29	12	x 12	x 1	/ 10
0,65	12	x 15	x 2	/ 8
0,85	12	x 20	x 2	/ 8
0,49	13	x 10	x 2	/ 9
0,41	15	x 10	x 1,5	/ 12
0,37	15	x 15	x 1	/ 13
0,70	15	x 15	x 2	/ 11
0,99	15	x 15	x 3	/ 9

KG/MTR	Bredde	Højde	Gods	Lysn.
0,87	15	x 20	x 2	/ 11
1,24	15	x 30	x 2	/ 11
0,68	16	x 20	x 1,5	/ 13
0,57	18	x 15	x 1,5	/ 15
0,92	20	x 11	x 3	/ 14
0,78	20	x 15	x 2	/ 16
0,95	20	x 20	x 2	/ 16
1,45	20	x 20	x 3	/ 14
1,29	20	x 30	x 2	/ 16
0,90	25	x 15	x 2	/ 21
1,21	25	x 25	x 2	/ 21
1,77	25	x 25	x 3	/ 19
1,19	26	x 24	x 2	/ 22
1,00	29	x 17	x 2	/ 25
1,12	30	x 20	x 2	/ 26
1,71	30	x 20	x 3	/ 24
1,89	30	x 25	x 3	/ 24
2,14	30	x 30	x 3	/ 24
2,73	30	x 40	x 3	/ 24
1,58	35	x 15	x 3	/ 29
2,60	35	x 35	x 3	/ 29
1,96	40	x 20	x 3	/ 34
2,47	40	x 30	x 3	/ 34
2,91	40	x 40	x 3	/ 34
2,09	45	x 20	x 3	/ 39
2,91	60	x 30	x 3	/ 54

MESSING

T profil

KG/MTR	Bredde	Højde	Gods	KG/MTR	Bredde	Højde	Gods	KG/MTR	Bredde	Højde	Gods		
0,16	10	x	10	x	1	0,94	20	x	20	x	3		
0,31	10	x	10	x	2	0,82	25	x	25	x	2		
0,16	12	x	8	x	1	1,20	25	x	25	x	3		
0,48	15	x	15	x	2	1,20	30	x	20	x	3		
0,65	20	x	20	x	2	1,45	30	x	30	x	3		
								3,30	60	x	40	x	4

Notskinne profil

KG/MTR	Højde	Bredde	Gods	Lysn.	Abning	KG/MTR	Højde	Bredde	Gods	Lysn.	Abning		
0,46	9,3	x	15,3	x	1,5 / 12,3	(7,3)	0,98	10	x	25	x	2 / 21	(13)
0,56	9	x	20	x	1,5 / 17	(8)							

Notskinne profil med vinger

KG/MTR	Højde	Bredde	Gods	Lysn.	Abning
0,97	10	x	19 (33)	x	2,5 x 14 / (8)

H profil

KG/MTR	Højde	Bredde	Gods	Lysn.	KG/MTR	Højde	Bredde	Gods	Lysn.		
0,27	11	x	5,5	x	1,25 / 3	0,81	22	x	13,5	x	1,75 / 10
0,58	19	x	11,0	x	1,5 / 8	1,36	24	x	12	x	2 (8) / 8

(8) = tykkelse af tværstamme

Dobbelt U

KG/MTR	Højde	Bredde	Gods	Lysn.	KG/MTR	Højde	Bredde	Gods	Lysn.		
0,28	8	x	12	x	1 / 4,5	0,44	10	x	15,6	x	1,2 / 6
0,32	8	x	16	x	1 / 6,5	0,40	10	x	19	x	1 / 8

MESSING

1/2 rund profil med flad bund

KG/MTR		KG/MTR		KG/MTR	
0,16	3 x 8	0,39	5 x 12	1,39	6 x 40
0,19	3 x 10	0,49	5 x 16	0,55	6,35 x 12,7
0,21	3 x 12	0,57	5 x 20	1,34	10 x 20
0,31	3 x 18	0,73	5 x 25	1,82	10 x 30
0,41	3 x 24	0,87	5 x 30	2,18	12,7 x 25,4
0,14	3,175 x 6,35	1,19	6 x 35	3,90	15 x 40
0,30	4,76 x 9,52				

1/2 rund profil med buet bund

KG/MTR		KG/MTR		KG/MTR	
0,32	4 x 20	0,77	5 x 40	1,28	6 x 60
0,55	5 x 30	1,07	6 x 50		

Flad profil med 2 runde kanter

KG/MTR		KG/MTR		KG/MTR	
0,22	3 x 10	0,76	5 x 20	1,18	5 x 30
0,35	3 x 15	0,97	5 x 25	3,04	10 x 40
0,48	3 x 20				

Trappeskinne

KG/MTR			KG/MTR		
0,22	2 x 20	no. 120	0,73	3 (20) x 22	no. 422
0,32	2 x 25	no. 125	0,44	2 (15) x 25	no. 425
0,40	2 x 35	no. 135	1,05	2,5 (30) x 30	no. 430
0,57	3 x 30	no. 230	1,36	4 (14) x 43	no. 443
0,65	3 x 40	no. 240	1,35	4 (12) x 50	no. 550
0,99	3 x 50	no. 250	0,28	1 (6) x 17,5	no. 617
2,39	5 x 75	no. 275	0,21	1,2 (4) x 18	no. 618
0,26	2,5 x 15,5	no. 315	0,25	1 (5,5) x 19	no. 717
0,39	2,5 (7,7) x 20	no. 420	0,92	1,5 (28) x 48	no. 848

Gelænderprofil

KG/MTR			KG/MTR		
2,80	12 x 45 (32,5)	no. 945	2,70	11 x 53 (41)	no. 953
2,69	11 x 60 (51)	no. 960			

MESSING

Cu58Zn39Pb3

Hulstang

KG/MTR				KG/MTR				KG/MTR			
0,14	2	x	5	0,74	17	x	20	1,50	26	x	30
0,18	3	x	6	1,44	15	x	21	4,01	19	x	31
0,22	4	x	7	0,78	18	x	21	2,88	23	x	31
0,32	4	x	8	2,27	12	x	22	4,91	17	x	32
0,26	5	x	8	1,92	14	x	22	2,32	26	x	32
0,43	4	x	9	1,52	16	x	22	1,60	28	x	32
0,30	6	x	9	1,07	18	x	22	1,22	29	x	32
0,50	5	x	10	0,82	19	x	22	5,31	19	x	34
0,43	6	x	10	1,12	19	x	23	3,20	26	x	34
0,34	7	x	10	2,88	12	x	24	1,71	30	x	34
0,38	8	x	11	2,14	16	x	24	6,68	15	x	35
0,53	8	x	12	1,68	18	x	24	5,51	20	x	35
0,43	9	x	12	1,17	20	x	24	4,01	25	x	35
0,80	7	x	13	2,67	15	x	25	3,31	27	x	35
0,59	9	x	13	1,76	19	x	25	2,56	29	x	35
0,46	10	x	13	1,23	21	x	25	1,76	31	x	35
0,50	11	x	14	0,94	22	x	25	1,34	32	x	35
0,96	9	x	15	3,20	14	x	26	5,71	21	x	36
0,83	10	x	15	2,35	18	x	26	4,81	24	x	36
0,69	11	x	15	1,84	20	x	26	3,42	28	x	36
0,54	12	x	15	3,36	15	x	27	1,82	32	x	36
1,04	10	x	16	2,46	19	x	27	3,63	30	x	38
0,75	12	x	16	1,92	21	x	27	2,80	32	x	38
0,58	13	x	16	3,52	16	x	28	1,92	34	x	38
0,62	14	x	17	3,07	18	x	28	1,46	35	x	38
1,50	10	x	18	2,00	22	x	28	8,01	20	x	40
1,20	12	x	18	1,39	24	x	28	6,51	25	x	40
0,85	14	x	18	1,06	25	x	28	4,67	30	x	40
0,66	15	x	18	5,34	10	x	30	2,96	34	x	40
1,28	13	x	19	4,70	14	x	30	2,03	36	x	40
0,70	16	x	19	4,51	15	x	30	4,06	34	x	42
2,00	10	x	20	3,85	18	x	30	2,14	35	x	42
1,71	12	x	20	3,34	20	x	30	2,24	40	x	44
1,36	14	x	20	2,16	24	x	30	7,51	30	x	45
0,96	16	x	20	1,84	25	x	30	5,34	35	x	45

MESSING

Cu58Zn39Pb3

Hulstang, fortsat

KG/MTR

3,36 39 x 45
2,30 41 x 45
4,49 38 x 46
5,74 38 x 48
2,46 44 x 48

14,02 20 x 50
10,68 30 x 50
8,51 35 x 50
6,01 40 x 50
3,77 44 x 50

2,56 46 x 50
6,28 42 x 52
3,93 46 x 52
2,67 48 x 52
2,78 50 x 54

KG/MTR

3,50 50 x 55
2,83 51 x 55
5,55 48 x 56
18,03 30 x 60
13,35 40 x 60

10,51 45 x 60
7,34 54 x 60
4,57 54 x 60
3,09 56 x 60
14,69 45 x 65

4,97 59 x 65
19,19 45 x 70
16,02 50 x 70
12,52 55 x 70
8,68 60 x 70

KG/MTR

5,37 64 x 70
9,34 65 x 75
26,04 50 x 80
18,69 60 x 80
10,01 70 x 80

21,36 70 x 90
11,35 80 x 90
34,05 70 x 100
24,03 80 x 100
12,68 90 x 100

26,70 90 x 110
14,02 100 x 110
42,06 90 x 120
29,40 100 x 120
15,35 110 x 120

MESSING

Cu58Zn39Pb3

Rørbøjninger 90°

19 x 22 (50)
22 x 25 (44)
25 x 28 (48)
26 x 30 (52)

28 x 32 (56)
31 x 35 (63)
34 x 38 (64)
36 x 40 (66)

38 x 42 (69)
41 x 45 (74)
46 x 50 (84)
56 x 60 (106)

ur = vejledende udvendig radius

MESSING

Cu63Zn37

Runde rør

KG/MTR				KG/MTR				KG/MTR			
0,05	1	x	3	0,49	17	x	19	1,68	48,5	x	51
0,08	2	x	4	0,51	18	x	20	1,76	51,5	x	54
0,08	3,2	x	4,8	0,56	20	x	22	1,44	53	x	55
0,11	3	x	5	0,58	20,2	x	22,2	1,86	54,5	x	57
0,13	4	x	6	0,64	23	x	25	1,58	58	x	60
0,13	4,5	x	6,3	0,67	23,5	x	25,5	1,99	58,5	x	61
0,16	5	x	7	0,72	26	x	28	2,05	61	x	63,5
0,19	6	x	8	0,75	26,5	x	28,5	2,62	64	x	67
0,17	6,2	x	8	0,77	28	x	30	2,29	67,5	x	70
0,21	7	x	9	1,04	29,5	x	32	2,40	70,5	x	73
0,21	7,7	x	9,5	0,83	30	x	32	2,50	73,5	x	76
0,24	8	x	10	1,13	32,5	x	35	4,17	76	x	80
0,27	9	x	11	0,91	33	x	35	2,73	80,5	x	83
0,29	10	x	12	1,24	35,5	x	38	2,83	83,5	x	86
0,32	10,7	x	12,7	0,99	36	x	38	2,93	86,5	x	89
0,32	11	x	13	1,04	38	x	40	5,84	85	x	90
0,35	12	x	14	1,34	38,8	x	41,3	3,03	89,5	x	92
0,35	12,3	x	14,3	1,09	40	x	42	3,75	92	x	95
0,38	13	x	15	1,46	42	x	44,5	5,23	96	x	100
0,40	14	x	16	1,17	43	x	45	6,97	102	x	107
0,43	15	x	17	1,56	45,5	x	48	8,41	102	x	108
0,45	16	x	18	1,31	48	x	50	7,18	105	x	110

MESSING

Cu63Zn37

Runde rør, Franske

KG/MTR

0,03	2,1	x	3
0,04	2,6	x	3,5
0,04	3,1	x	4
0,05	3,6	x	4,5
0,06	4,1	x	5

0,06	4,6	x	5,5
0,07	5,1	x	6
0,07	5,6	x	6,5
0,08	6,1	x	7
0,09	6,6	x	7,5

0,09	7,1	x	8
0,10	7,6	x	8,5
0,10	8,1	x	9
0,11	8,6	x	9,5
0,12	9,1	x	10

0,12	9,6	x	10,5
0,13	10,1	x	11

KG/MTR

0,13	10,6	x	11,5
0,14	11,1	x	12
0,15	12,1	x	13
0,17	13,1	x	14
0,18	14,1	x	15

0,19	15,1	x	16
0,20	16,1	x	17
0,21	17,1	x	18
0,23	18,1	x	19
0,24	19,1	x	20

0,25	20,1	x	21
0,26	21,1	x	22
0,27	22,1	x	23
0,29	23,1	x	24
0,30	24,1	x	25

0,31	25,1	x	26
------	------	---	----

KG/MTR

0,32	26,1	x	27
0,33	27,1	x	28
0,35	28,1	x	29
0,36	29,1	x	30
0,37	30,1	x	31

0,38	31,1	x	32
0,39	32,1	x	33
0,41	33,1	x	34
0,42	34,1	x	35
0,43	35,1	x	36

0,45	36,1	x	37
0,46	37,1	x	38
0,47	38,1	x	39
0,48	39,1	x	40
0,55	45,1	x	46

0,62	51,1	x	52
------	------	---	----

Runde rør, smådimensioneret

GR/MTR

GR/MTR	indv	x	udv
0,2	0,1	x	0,2
0,3	0,2	x	0,3
0,4	0,3	x	0,4
0,5	0,3	x	0,5
3,5	0,45	x	0,85

7,0	0,7	x	1,2
10,0	1,0	x	1,5

GR/MTR

GR/MTR	indv	x	udv
20,0	1,0	x	2,0
13,0	1,4	x	2,0
18,0	1,9	x	2,5
21,0	2,4	x	3,0
26,0	2,9	x	3,5

29,0	3,4	x	4,0
------	-----	---	-----

GR/MTR

GR/MTR	indv	x	udv
32,0	3,9	x	4,5
35,0	4,4	x	5,0
42,0	4,9	x	5,5
46,0	5,4	x	6,0
50,0	5,9	x	6,5

53,0	6,4	x	7,0
------	-----	---	-----

MESSING

Cu63Zn37

4kt rør

KG/MTR						KG/MTR						KG/MTR					
0,10	4	x	4	x	1	0,61	19	x	19	x	1	1,05	32	x	32	x	1
0,17	6	x	6	x	1	0,69	10	x	20	x	1,5	1,16	35	x	35	x	1
0,24	8	x	8	x	1	0,94	20	x	20	x	1,5	2,25	35	x	35	x	2
0,26	9,5	x	9,5	x	1	0,72	22	x	22	x	1	1,26	38	x	38	x	1
0,31	10	x	10	x	1	0,56	10	x	25	x	1	1,91	20	x	40	x	2
0,30	11	x	11	x	1	0,82	25	x	25	x	1	2,59	40	x	40	x	2
0,34	12,7	x	12,7	x	1	1,56	25	x	25	x	2	3,00	45	x	45	x	2
0,69	15	x	15	x	1,5	0,94	28	x	28	x	1	2,40	25	x	50	x	2
0,37	8	x	16	x	1	1,07	15	x	30	x	1,5	3,27	50	x	50	x	2
0,47	16	x	16	x	1	1,91	30	x	30	x	2						

Rør, riflede

KG/MTR						KG/MTR					
0,18	8	x	10		med 12 rifler	0,50	23	x	25		med 20 rifler
0,18	8	x	10		med 16 rifler	0,50	23	x	25		med 24 rifler
0,34	14	x	16		med 40 rifler	0,50	23	x	25		med 60 rifler
0,49	17	x	19		med 16 rifler	0,74	30	x	32		med 30 rifler
0,45	20	x	22		med 24 rifler						

MESSING

Cu58Zn39Pb3

6kt hulstang

KG/MTR	udv	inv	gods	KG/MTR	udv	inv	gods				
1,70	17	x	8	x	(4,5)	4,06	27	x	14	x	(6,5)
1,99	19	x	10	x	(4,5)	3,66	27	x	16	x	(5,5)
2,14	20	x	11	x	(4,5)	3,21	27	x	18	x	(4,5)
2,29	21	x	12	x	(4,5)	3,85	28	x	17	x	(5,5)
2,76	22	x	11	x	(4,5)	4,70	30	x	17	x	(6,5)
2,44	22	x	13	x	(4,5)	6,04	32	x	15	x	(8,5)
2,94	23	x	12	x	(5,5)	5,31	32	x	19	x	(6,5)
3,11	24	x	13	x	(5,5)	5,57	34	x	21	x	(6,5)
2,74	24	x	15	x	(4,5)	7,14	36	x	19	x	(8,5)
3,29	25	x	14	x	(5,5)	7,70	38	x	21	x	(8,5)
3,48	26	x	15	x	(5,5)						

MESSING

Cu63Zn37

Foliebånd, blød

KG/MTR			
0,07	0,05	x	150
0,10	0,075	x	150
0,13	0,10	x	150
0,19	0,15	x	150
0,25	0,20	x	150

KG/MTR			
0,32	0,25	x	150
0,38	0,30	x	150
0,51	0,40	x	150
0,64	0,50	x	150
0,77	0,60	x	150

KG/MTR			
0,89	0,70	x	150
1,02	0,80	x	150
1,15	0,90	x	150
1,28	1,00	x	150

Foliebånd, 1/2 hård

KG/MTR			
0,26	0,10	x	300
0,38	0,15	x	300
0,51	0,20	x	300

KG/MTR			
0,64	0,25	x	300
0,77	0,30	x	300

KG/MTR			
1,02	0,40	x	300
1,28	0,50	x	300

Trådvæv

No. 6	0,90	Maskevidde 3,22
No. 7	0,80	Maskevidde 2,82
No. 10	0,60	Maskevidde 1,94
No. 19	0,36	Maskevidde 1,00

No. 24	0,30	Maskevidde 0,75
No. 35	0,20	Maskevidde 0,50
No. 50	0,20	Maskevidde 0,32
No. 80	0,125	Maskevidde 0,20

MESSING

Cu58Zn39Pb3

Plader

Format 600x2000 = Gravør kvalitet

KG					
5	0,5	x	600	x	2000
6	0,6	x	600	x	2000
8	0,8	x	600	x	2000
10	1,0	x	600	x	2000
12	1,2	x	600	x	2000
13	1,25	x	600	x	2000
15	1,5	x	600	x	2000
20	2,0	x	600	x	2000
25	2,5	x	600	x	2000
30	3,0	x	600	x	2000
41	4	x	600	x	2000
51	5	x	600	x	2000
61	6	x	600	x	2000
82	8	x	600	x	2000
260	8	x	1250	x	3020
102	10	x	600	x	2000
325	10	x	1250	x	3020
390	12	x	1250	x	3020

KG					
482	15	x	1250	x	3020
645	20	x	1250	x	3020
803	25	x	1250	x	3020
970	30	x	1250	x	3020
1130	35	x	1250	x	3020
1290	40	x	1250	x	3020
1480	45	x	1250	x	3020
1620	50	x	1250	x	3020
1190	55	x	1250	x	2020
1290	60	x	1250	x	2020
1400	65	x	1250	x	2020
1510	70	x	1250	x	2020
1722	80	x	1250	x	2020
1830	85	x	1250	x	2020
1938	90	x	1250	x	2020
2260	105	x	1250	x	2020
2105	130	x	1250	x	1520
2330	180	x	1000	x	1520

MESSING

Cu80Zn20

(Tombak)

Plader, 1/2 hård

KG					
11	0,5	x	1000	x	2500
13	0,6	x	1000	x	2500
17	0,8	x	1000	x	2500
22	1,0	x	1000	x	2500
27	1,25	x	1000	x	2500

KG					
33	1,5	x	1000	x	2500
44	2,0	x	1000	x	2500
64	3,0	x	1000	x	2500
109	5,0	x	1000	x	2500

MESSING

Cu63Zn37

Plader, 1/2 hård

KG					
5	0,3	x	1000	x	2000
7	0,4	x	1000	x	2000
9	0,5	x	1000	x	2000
10	0,6	x	1000	x	2000
12	0,7	x	1000	x	2000
14	0,8	x	1000	x	2000
16	0,9	x	1000	x	2000
17	1	x	1000	x	2000
27	1	x	1250	x	2500
20	1,20	x	1000	x	2000
26	1,5	x	1000	x	2000
40	1,5	x	1250	x	2500
30	1,75	x	1000	x	2000
34	2	x	1000	x	2000
53	2	x	1250	x	2500

KG					
43	2,5	x	1000	x	2000
51	3	x	1000	x	2000
80	3	x	1250	x	2500
68	4	x	1000	x	2000
106	4	x	1250	x	2500
86	5	x	1000	x	2000
133	5	x	1250	x	2500
104	6	x	1000	x	2000
160	6	x	1250	x	2500
138	8	x	1000	x	2000
173	10	x	1000	x	2000
208	12	x	1000	x	2000
255	15	x	1000	x	2000
346	20	x	1000	x	2000

Plader, blød

KG					
7	0,4	x	1000	x	2000
9	0,5	x	1000	x	2000
10	0,6	x	1000	x	2000
12	0,7	x	1000	x	2000

KG					
14	0,8	x	1000	x	2000
17	1	x	1000	x	2000
26	1,5	x	1000	x	2000
34	2	x	1000	x	2000

Bølge - plader, 1/2 hård

KG	Bølge på langs 5mm				
11	0,6	x	1000	x	2000

Gitter - plader, 1/2 hård

KG					
11	0,6	x	1000	x	2000

Hammer - plader, 1/2 hård

KG					
14	0,8	x	1000	x	2000

Stucco - plader, 1/2 hård

KG					
7	0,8	x	500	x	2000